(2,6-difluorobenzoyl)urea, in or on the following raw agricultural commodities:

Commodity	Parts per mil- lion
Apple, wet pomace	8.0
Cattle, fat	11
Cattle, kidney	1.0
Cattle, liver	1.0
Cattle, meat	0.60
Cattle, meat byproducts, except liver and kid-	
ney	0.60
Cotton, gin byproducts	30
Cotton, undelinted seed	0.60
Eggs	0.05
Fruit, pome, group 11	2.0
Goat, fat	11
Goat, kidney	1.0
Goat, liver	1.0
Goat, meat	0.60
Goat, meat byproducts except liver and kid-	
ney	0.60
Hog, fat	0.05
Hog, meat	0.01
Hog, meat byproducts	0.01
Horse, fat	11
Horse, kidney	1.0
Horse, liver	1.0
Horse, meat	0.60
Horse, meat byproducts, except liver and kid-	
ney	0.60
Milk	1.0
Milk, fat	20
Poultry, fat	0.40
Poultry, meat	0.03
Poultry, meat byproducts	0.04
Sheep, fat	11
Sheep, kidney	1.0
Sheep, liver	1.0
Sheep, meat	0.60
Sheep, meat byproducts, except liver and kid-	0.00
ney	0.60
Vegetables, tuberous and corn, subgroup 1C	0.05
- ogomesos, taborodo ana oom, odbyroup 10	0.00

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertant residues. [Reserved]

[69 FR 31021, June 2, 2004]

Subpart D—Exemptions From Tolerances

§ 180.900 Exemptions from the requirement of a tolerance.

An exemption from a tolerance shall be granted when it appears that the total quantity of the pesticide chemical in or on all raw agricultural commodities for which it is useful under conditions of use currently prevailing or proposed will involve no hazard to the public health.

[69 FR 23117, Apr. 28, 2004]

§ 180.905 Pesticide chemicals; exemptions from the requirement of a tolerance.

- (a) When applied to growing crops, in accordance with good agricultural practice, the following pesticide chemicals are exempt from the requirement of a tolerance:
 - (1) [Reserved]
- (2) *N*-Octylbicyclo(2,2,1)-5-heptene-2,3-dicarboximide.
 - (3) Petroleum oils.
 - (4) Piperonyl butoxide.
 - (5) [Reserved]
 - (6) Pyrethrum and pyrethrins.
 - (7) Rotenone or derris or cube roots.
 - (8) Sabadilla.
- (b) These pesticides are not exempted from the requirement of a tolerance when applied to a crop at the time of or after harvest.

[69 FR 23117, Apr. 28, 2004]

§180.910 Inert ingredients used preand post-harvest; exemptions from the requirement of a tolerance.

Residues of the following materials are exempted from the requirement of a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops or to raw agricultural commodities after harvest:

Inert ingredients	Limits	Uses
Acetic acid		Catalyst Solvent, cosolvent Do. Emulsifiers

Inert ingredients	Limits	Uses
Alkyl ($C_8\text{-}C_{24}$) benzenesulfonic acid and its ammonium, calcium, magnesium, potassium, so-		Surfactants, related adjuvants of surfactants
dium, and zinc salts. α -Alkyl (C_9 - C_{18} - ω -hydroxypoly(oxyethylene) with		Solvent, cosolvent, surfactant, and related ad-
poly(oxyethylene) content of 2-30 moles. α -(p-Alkylphenyl)- ω -hydroxypoly(oxyethylene)		juvants of surfactants Surfactants, related adjuvants of surfactants
produced by the condensation of 1 mole of alkylphenol (alkyl is a mixture of propylene tetramer and pentamer isomers and averages C ₁₃) with 6 moles of ethylene oxide.		Sunacianis, related adjuvants of sunacianis
α -Alkyl (C ₆ ·C ₁₄)- ω -hydroxypoly(oxypropylene) block copolymer with polyoxyethylene; polyoxypropylene content is 1-3 moles; polyoxyethylene content is 4-12 moles; average molecular weight (in amu) is approxi-		Do.
mately 635. α -alkyl (C ₁₂ -C ₁₅)- ω -hydroxypoly (oxypropylene)	Not more than 20% of pes-	Surfactant
poly (oxyethylene) copolymers (where the poly (oxypropylene) content is 3-60 moles and the poly (oxyethylene) content is 5-80 moles).	ticide formulations	
Alkyl (C ₈ -C ₁₈) sulfate and its ammonium, calcium, isopropylamine, magnesium, potassium, sodium, and zinc salts.		Surfactants.
Aluminum hydroxide		Diluent, carrier
Aluminum oxide		Diluent Surfactant
Ammonium bicarbonate		Surfactant, suspending agent, dispersing agent
Ammonium carbamate		Synergist in aluminum phosphide formulations
Ammonium chloride		Intensifier when used with ammonium nitrate as a dessicant or defoliant. Fire suppressant in aluminum phosphide and magnesium phosphide formulations
Ammonium hydroxide		Solvent, cosolvent, neutralizer, solubilizing agent
Ammonium stearate		Surfactant
Ammonium thiosulfate		Solid diluent, carrier Intensifier when used with ammonium nitrate as desiccant or defoliant
Amyl acetate		Solvent, cosolvent, attractant Stabilizer, preservative
Ascorbil palmitate		Preservative
Attapulgite-type clay		Solid diluent, carrier, thickener
Bacillus thuringiensis fermentation solids and/or solubles.		Diluent, carrier
Beeswax Bentonite		Coating agent Solid diluent, carrier
Benzoic acid		Preservative for formulation
Butane		Propellant
n-Butanol (CAS Reg. No. 71–36–3)		Solvent, cosolvent
Butylated hydroxyanisole		Antioxidant Do.
α -(p -tert-Butylphenyl)- ω -hydroxypoly (oxyethylene) mixture of dihydrogen phosphate		Surfactants related adjuvants of surfactants
and monohydrogen phosphate esters and the corresponding ammonium calcium, magne-		
sium, monoethanolamine, potassium, sodium, and zinc salts of the phosphate esters; the poly(oxyethylene) content averages 4-12 moles.		
Calcareous shale		Solid diluent carrier
Calcite		Do.
Calcium carbonate		Do. Stabilizer
Calcium phosphate		Solid diluent, carrier
Calcium hydroxide		Do.
Calcium hypochlorite		Sanitizing and bleaching agent
Calcium oxide		Solid diluent, carrier
Calcium salt of partially dimerized rosin, conforming to 21 CFR 172.210. Calcium silicate		Coating agent Solid diluent, carrier
Calcium stearate		Do.
Carnauba wax	l	Coating agent

Inert ingredients	Limits	Uses
Carrageenan, conforming to 21 CFR 172.620	Minimum molecular weight	Thickener
Casein	(in amu): 100,000. Expires May 24, 2005	Surfactant, emulsifier, wetting agent
Cetyl alcohol (CAS Reg. No. 36653–82–4)	Not more than 5.0% of pesticide formulation.	Evaporation retardant
Charcoal, activated	Meets specifications in the Food Chemical Codex.	Carrier
Coconut shells		Solid diluent and carrier
Cod liver oil	For use on citrus only	Solvent, cosolvent Component of coating agent
Croscarmellose sodium (CAS Reg. No. 74811–65–7).		Disintegrant, solid diluent, carrier, and thick- ener
Diacetyl tartaric acid esters of mono- and diglycerides of edible fatty acids.		Emulsifier
Dialkyl (C _s -C _{1s}) dimethyl ammonium chloride	Not more than 0.2% in silica, hydrated silica.	Flocculating agent in the manufacture of silica, hydrated silica for use as a solid diluent, carrier
Diatomite (diatomaceous earth)		Solid diluent carrier
Dichlorodifluoromethane		Propellant
Dichlorotetrafluoroethane		Do. Surfactants, related adjuvants of surfactants
1,1-Diffuoroethane (CAS Reg. No. 75–37–6)	For aerosol pesticide formu- lations used for insect control in food- and feed-	Aerosol propellant
	handling establishments and animals.	
1,2-Dihydro-6-ethoxy-2,2,4-trimethylquinolene	Not more than 0.02% of pesticide formulation.	Antioxidant
3,6-Dimethyl-4-octyn-3,6-diol	Not more than 2.5% of pes- ticide formulation.	Surfactants, related adjuvants of surfactants
α-(o , p -Dinonylphenyl)- $ω$ -hydroxypoly (oxyethylene) mixture of dihydrogen phosphate and monohydrogen phosphate esters and the corresponding ammonium, calcium, magnesium, monoethanolamine, potassium, sodium, and zinc satis of the phosphate esters; the nonyl group is a propylene trimer isomer and the poly(oxyethylene) content averages 4-14		Surfactants, related adjuvants of surfactants
moles. α -(o,p-Dinonylphenyl)- ω -hydroxypoly (oxyethylene) produced by condensation of 1 mole of dinonylphenol (nonyl group is a propylene trimer isomer) with an average of 4-14 or 140-160 moles of ethylene oxide.		Do.
Dipropylene glycol		Solvent, cosolvent
Disodium phosphate Disodium zinc ethylenediaminetetraacetate		Anticaking agent, conditioning agent Sequestrant
dihydride. Dodecylbenzenesulfonic acid, amine salts		Release rate regulator in pheromone formula-
or (n Dodooylphonyl) o hydroyynoly (ovy		tion
α-(p-Dodecylphenyl)-ω-hydroxypoly (oxyethylene) produced by the condensation of 1 mole of dodecylphenol (dodecyl group is a propylene tetramer isomer) with an average of 4-14 or 30-70 moles of ethylene oxide; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 4-14 or 30-70.		Surfactants, related, adjuvants of surfactants
70. Dolomite		Solid diluent, carrier
Epoxidized linseed oil		Surfactants, related adjuvants of surfactants
Epoxidized soybean oil		Do.
Ethoxylated lignosulfonic acid, sodium salt		Surfactant
Ethyl alcohol		Solvent, cosolvent Do.
Ethyl esters of fatty acids derived from edible fats and oils.		Solvent, cosolvent
Ethylene methylphenyglycidate		Synthetic flavoring
Ethylene oxide adducts of 2,4,7,9-tetramethyl-5- decynediol, the ethylene oxide content averages 3.5, 10, or 30 moles.		Surfactants, related adjuvants of surfactants
Ethylenediaminetetraacetic acid	3% of pesticide formulation	Sequestrant

Inert ingredients	Limits	Uses
Ethylenediaminetetraacetic acid, tetrasodium	5% of pesticide formulation	Sequestrant
salt. 2-Ethyl-1-hexanol	Not more than 2.5% of pesticide formulation.	Solvent, adjuvant of surfactants
Fatty acids, conforming to 21 CFR 172.860 FD&C Blue No. 1	Not more than 0.2% of pesticide formulation.	Binder, defoaming agent, lubricant Dye
FD&C Red No. 40 (CAS Reg. No. 25956–17–6) conforming to 21 CFR 74.340.	Not to exceed 0.002% by weight of pesticide formulation.	Dye, coloring agent
Ferric sulfateFish meal	Expires May 24, 2005	Solid diluent, carrier Solid diluent, carrier
Furcelleran		Thickener Emulsifier, dispersing agent
crose (CAS Reg. Nos. 100403-38-1, 100403-41-6, 100403-39-2, 100403-40-5).		Thickener
GlycerolGlycerol mono-, di-, and triacetate		Solvent, cosolvent
Glyceryl monostearate		Emulsifier
Granite		Do.
Graphite		Solid diluent, carrier
Gum arabic (acacia)		Surfactant, suspending agent, dispersing agent
Gypsum	For use in citrus weeking	Solid diluent, carrier Preservative
Hexamethylenetetramine	For use in citrus washing solutions only at not more than 1%.	rieservative
n-Hexyl alcohol (CAS Reg. No. 111-27-3)		Solvent, cosolvent
Hydrochloric acid		Solvent, neutralizer
Hydroxyethylidine diphosphonic acid (HEDP) (CAS Reg. No. 2809–21–4).	For use in antimicrobial pesticide formulations at not more than 1 percent.	Stabilizer, chelator
Iron oxide		Solid diluent, carrier
Isopropyl alcohol		Solvent, cosolvent, stabilizer, inhibitor
Isopropyl myristate, CAS Reg. No. 110-27-0		Solvent
Kaolinite-type clay		Solid diluent, carrier
Lactic acid		Solvent Solvent
Lauryl alcohol		Surfactant
 α-Lauryl-ω-hydroxypoly(oxyethylene), average molecular weight (in amu) of 600. α-Lauryl-ω-hydroxypoly(oxyethylene) sulfate, so- 		Emulsifier Surfactants, related adjuvants of surfactants
dium salt; the poly(oxyethylene) content is 3-4 moles. Lignosulfonate, ammonium, calcium, magne-		Surfactants, related adjuvants of surfactants
sium, potassium, sodium, and zinc salts. d-Limonene (CAS Reg. No. 5989–27–5)		Solvent, fragrance
Magnesium carbonate		Anticaking agent, conditioning agent Safener
Magnesium lime		Solid diluent, carrier
Magnesium oxide		Do.
Magnesium silicate		Do.
Magnesium stearate		Surfactant
Magnesium sulfate		Solid diluent, carrier, safener
Manganous oxide		Solid diluent, carrier Solvent
Methyl <i>n</i> -amyl ketone (CAS Reg. No. 110–43–0)		Solvent, cosolvent
Methylated silicones		Antifoaming agent
Methyl esters of fatty acids derived from edible fats and oils.		Solvent, cosolvent
Methyl esters of higher fatty acids conforming to 21 CFR 573.640.		Antidusting agent, surfactant
Methyl ester of rosin, partially hydrogenated (as defined in 21 CFR 172.615). Methyl isobutyl ketone		Surfactants, related adjuvants of surfactants Solvent
Mica		Solid diluent, carrier
Mineral oil, U.S.P., or conforming to 21 CFR 172.878 or 178.3620(a) (CAS Reg. No. 8012–95–1).		Diluent, carrier, and solvent
Modified polyester resin derived from ethylene glycol, fumaric acid, and rosin.	For use on citrus only	Resinous coating
Monoammonium phosphate	No more than 3.75% by weight in formulation.	Postharvest fumigation in formulation with aluminum phosphide

Inert ingredients	Limits	Uses
Monto- and diglycerides of Cs,-C1s fatty acids Montmorillonite-type clay treated with polytetra- fluoroethylene (PTFE; CAS Reg. No. 9002–	PTFE content not greater than 0.5% (w/w) of clay.	Surfactants, related adjuvants of surfactants Solid diluent, carrier Carrier
84–0). Nonyl, decyl, and undecyl glycoside mixture with a mixture of nonyl, decyl, and undecyl oligosaccharides and related reaction products (primarily decanol and undecanol) produced as an aqueous-based liquid (50 to 65% solids) from the reaction of primary alcohols (containing 15 to 20% secondary alcohol isomers) in a ratio of 20% Co, 40% C ₁₀ , and 40% C ₁₁ with carbohydrates (average glucose to alkyl chain ratio 1.3 to 1.8).		Surfactant.
α-(p-Nonylphenyl)-ω-hydroxypoly(oxyethylene) mixture of dihydrogen phosphate and monohydrogen phosphate she corresponding ammonium, calcium, magnesium, monoethanolamine, potassium, sodium, and zinc salts of the phosphate esters; the nonyl group is a propylene trimer isomer and the poly(oxyethylene) content averages 4-14 moles or 30 moles.		Surfactants, related adjuvants of surfactants
α -(p-Nonylphenyl)- α -hydroxypoly(oxyethylene) produced by the condensation of 1 mole of nonylphenol (nonyl group is a propylene trimer isomer) with an average of 4-14 or 30-90 moles of ethylene oxide; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 4-14 or 30-90.		Do.
α-(p-Nonylphenyl)-ω-hydroxypoly(oxyethylene) sulfate, ammonium, calcium, magnesium, potassium, sodium, and zinc salts; the nonyl group is a propylene trimer isomer and the poly(oxyethylene) content averages 4 moles.		Do.
Octyl and decyl glucosides mixture with a mixture of octyl and decyloligosaccharides and related reaction products (primarily n-decanol) produced as an aqueous-based liquid (68-72% solids) from the reaction of straight chain alcohols (C ₈ (45%), C ₁₀ (55%)) with anhydrous glucose.		Do.
Oleic acid		Diluent
Oleic acid diester of α -hydro- ω -hydroxypoly (oxyethylene); the poly(oxyethylene) having average molecular weight (in amu) 400.		Surfactants, related adjuvants of surfactants
$\begin{array}{ll} \alpha\text{-Oleoyl-}\omega\text{-hydroxypoly(oxyethylene)}, & \text{average} \\ \text{molecular weight (in amu) of 600}. \end{array}$	450/	Emulsifier
Oleyl alcohol (CAS Reg. No. 143–28–2	15%	Cosolvent Calcium chelating hard water inhibitor
Oxidized pine lignin, sodium salt, (CAS Reg. No. 68201–23–0).	Maximum of 2% of formulation.	Surfactant, related adjuvant of surfactant
Palmitic acid Pentaerythritol ester of maleic anhydride modified wood rosin.		Diluent Plasticizer
Pentaerythritol ester of modified resin	No more than 25 ppm in pesticide formulations.	Do. Emulsifier
Petrolatum, conforming to 21 CFR 172.880 Petroleum hydrocarbons, light odorless conforming to 21 CFR 172.884.		Coating agent Solvent, diluent.

	T	
Inert ingredients	Limits	Uses
Petroleum hydrocarbons, synthetic isoparaffinic,		Do.
conforming to 21 CFR 172.882. Petroleum naphtha, conforming to 21 CFR 172.250(d).		Component of coating agent
Petroleum wax, conforming to 21 CFR 172.886(d).		Coating agent
Phosphoric acid		Buffer
Phosphorus oxychloride		Catalyst Adsorbent
B-Pinene polymers		Surfactants, related adjuvants of surfactants
Polyethylene, conforming to 21 CFR		Binder, carrier, and coating agent
177.1520(c). Polyethylene glycol[α -hydro- ω -hydroxypoly(oxyethylene)]; mean molecular		Surfactants, related adjuvants of surfactants
weight (in amu) 194 to 9,500 conforms to 21 CFR 178.3750. Polyglycerol esters of fatty acids conforming to		Surfactants, related adjuvants of surfactants
21 CFR 172.854.		
Polyglyceryl phthalate ester of coconut oil fatty acids.		Do.
Poly(methylene- <i>p-tert</i> -butylphenoxy)-		Coating agent
poly(oxyethylene) ethanol; the poly(oxyethylene) content averages 4-12 moles.		
Poly(methylene- <i>p</i> -nonylphenoxy)poly (oxyethylene) ethanol; the poly(oxyethylene) con-		Coating agent
tent averages 4-12 moles. Poly(oxy-1,2-ethanediyl), α -(carboxymethyl)- ω -		Surfactant
(nonylphenoxy) produced by the condensation		
of 1 mole of nonylphenol (nonyl group is a propylene trimer isomer) with an average of 4-		
14 or 30-90 moles of ethylene oxide. The mo-		
lecular weight (in amu) ranges are 454-894		
and 1598-4238. Polyoxyethylene (20) sorbitan monostearate		Surfactants, related adjuvants of surfactants
[Poly[oxy(methyl-1,2-ethanediyl)], α -[2-bis(2-hy-	Not to exceed 15% in the	Surfactant
droxyethyl)amino]propyl]-ω-hydroxy,-ether with	formulated product; only	
α-hydro-ω-hydroxypoly(oxy-1,2-ethanediyl) (1:2), mono-C ₁₂₋₁₆ alkyl ethers, (CAS Reg.	for use with glyphosate.	
No. 176022–82–5).		
Polysorbate 65, conforming to 21 CFR 172.838		Emulsifier
Potassium aluminum silicate		Solid diluent, carrier Neutralizer
Potassium hydroxide		Buffer
Potassium sulfate		Solid diluent
Propane		Propellant
n-Propanol2-Propenoic acid, 2-methyl-, polymer with ethyl		Solvent, cosolvent Encapsulating agent, dispensers, resins, fibers
2-propenoate and methyl 2-methyl-2-		and beads
propenoate, ammonium salt (CAS Registra-		
tion No. 55989–05–4), minimum number average molecular weight (in amu), 18,900.		
Propionic acid		Catalyst
Propylene glycol		Solvent, cosolvent.
Propylene glycol alginate (as defined in 21 CFR 172.858).		Defoaming agent
Propyl gallate		Antioxidant
Propyl <i>p</i> -hydroxybenzoate		Preservative for formulations
Pyrophyllite		Solid diluent, carrier
Rhizobium inoculants (e.g. Sinorhizobium, Bradyrhizobium & Rhizobium).		All leguminous food commodities
Rosin, partially dimerized (as defined in 21 CFR 172.615).		Surfactants, related adjuvants of surfactants
Rosin, partially hydrogenated (as defined in 21 CFR 172.615).		Do.
Rosin, wood		Do.
Salts of fatty acids, conforming to 21 CFR 172.863. Sand		Binder, emulsifier, anticaking agent Solid diluent, carrier
Secondary alkyl (C ₁₁ -C ₁₅) poly(oxyethylene) ac-		Surfactant
etate, sodium salt; the ethylene oxide content averages 5 moles.		
Shellac, bleached; refined, food grade, arsenic and rosin-free.		Coating agent

Inert ingredients	Limits	Uses
Soap (sodium or potassium salts of fatty acids)		Surfactant, emulsifier, wetting agent
Soapstone		Solid diluent
Sodium acid pyrophosphate		Surfactant, suspending agent, dispersing agent, buffer
Sodium α -olefinsulfonate (sodium C_{14} - C_{16})		Surfactants, related adjuvants of surfactants
(Olefin sulfonate).		
Sodium aluminum silicate		Solid diluent, carrier
Sodium benzoate		Anticaking agent
Sodium bicarbonate		Neutralizer
Sodium diisobutylnaphthalenesulfonate		Surfactants, related adjuvants of surfactants Do.
Sodium dodecylphenoxybenzenedisulfonate		Do.
Sodium hexametaphosphate		Surfactant, emulsifier, wetting agent, sus-
		pending agent, dispersing agent, buffer
Sodium hydroxide		Neutralizer
Sodium isopropylisohexylnaphthalenesulfonate Sodium <i>N</i> -lauroyl- <i>N</i> -methyltaurine		Surfactants, related adjuvants of surfactants Do.
Sodium lauryl glyceryl ether sulfonate		Do.
Sodium metasilicate		Surfactants, emulsifiers, wetting agents, dis-
		persing agents, buffer
Sodium monoalkyl and dialkyl (C ₈ -C ₁₆)		Surfactants, related adjuvants of surfactants
phenoxybenzenedisulfonate mixtures con- taining not less than 70% of the		
taining not less than 70% of the monoalkylated product.		
Sodium mono- and dimethyl		Do.
naphthalenesulfonates, molecular weight (in		
amu) 245-260.		
Sodium mono-, di-, and tributyl		Do.
naphthalenesulfonates. Sodium mono-, di-, and triisopropyl		Do
Sodium mono-, di-, and triisopropyl naphthalenesulfonate.		Do.
Sodium <i>N</i> -oleoyl- <i>N</i> -methyltaurine		Do.
Sodium oleyl sulfate		Do.
Sodium N-palmitoyl-N-methyltaurine		Do.
Sodium propionate		Preservative for formulation
Sodium silicate		Surfactants, related adjuvants of surfactants Surfactant, emulsifier, wetting agent, stabilizer,
Godium Silicate		inhibitor
Sodium starch glycolate (CAS Reg. No. 9063-	Granular and tableted prod-	Disintegrant
38–1).	ucts only; not to exceed	
	8% of the formulated	
Sodium sulfate	product.	Solid diluent, carrier
Sodium sulfite		Stabilizer
Sodium thiosulfate anhydrous (CAS Reg.	Not to exceed 6% of the	Dechlorinator, reducing agent
No.7772–98–7 or sodium thiosulfate	formulated product.	
pentahydrate,CAS Reg. No. 10102–17–7).		
Sodium tripolyphosphate		Buffer, surfactant, suspending agent, dis-
		persing agent, anticaking agent, conditioning agent
Sorbitan fatty acid esters (fatty acids limited to		Surfactants, related adjuvants or surfactants.
C_{12} , C_{14} , C_{16} , and C_{18} containing minor		
amounts of associated fatty acids) and their		
derivatives; the poly(oxyethylene) content		
averages 5-20 moles.		Dragon jotice for formulations
Sorbic acid (and potassium salt)		Preservative for formulations Antidusting agent
Soy protein, isolated	Expires May 24, 2005	Adhesive
Soybean flour	Expires May 24, 2005	Surfactant
Soybean oil-derived fatty acids		Solvent, cosolvent
Sperm oil conforming to 21 CFR 172.210		Coating agent
Stearic acid		Diluent
α-Stearoyl-ω-hydroxypoly(oxyethylene), average molecular weight (in amu) of 600.		Emulsifier
α-Stearoyl-ω-hydroxypoly(oxyethylene); the		Surfactants, related adjuvants of surfactants
poly(oxyethylene) content averages either 8,		
9, or 40 moles; if a blend of products is used,		
the average number of moles ethylene oxide		
reacted to produce any product that is a com-	I .	
nament of the bland ob-11 to - 11to - 10 0 10		
ponent of the blend shall be either 8, 9, or 40.		Adhesive
ponent of the blend shall be either 8, 9, or 40. Sucrose octaacetate	0.1% of pesticide formula-	Adhesive pH control agent
Sucrose octaacetate	0.1% of pesticide formulation.	Adhesive pH control agent

Inert ingredients	Limits	Uses
Sulfurous acid		Preservative
Synthetic paraffin and its succinic derivatives conforming to 21 CFR 172.275.		Carrier, binder, and carrying agent
Synthetic petroleum wax, conforming to 21 CFR 172.888.		Binder, carrier, and coating agent
Talc		Solid diluent, carriers
Tall oil; fatty acids not less than 58%, rosin acids not more than 44%, unsaponifiables not more than 8%.		Surfactants, related adjuvants of surfactants
Tartrazine		Dye
1,1,1,2-Tetrafluoroethane, (CAS Reg. No. 811–97–2).		Aerosol propellant
Tetrahydrofurfuryl alcohol		Solvent cosolvent Surfactants, related adjuvants of surfactants
hydroxypoly(oxyethylene) produced by the condensation of 1 mole of p -(1,1,3,3-tetramethylbutyl)phenol with a range of 1-14 or 30-70 moles of ethylene oxide: if a blend of products is used, the average range number of moles of ethylene oxide reacted to produce any product that is a component of the blend		
shall be in the range of 1-14 or 30-70. α -[p -(1,1,3,3-Tetramethylbutyl) phenyl]- ω -hydroxypoly(oxyethylene) produced by the condensation of 1 mole of p -(1,1,3,3-tetramethylbutyl) phenol with an average of 4-14 or 30-70 moles of ethylene oxide; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 4-14 or 30-		Do.
70. 2,4,7,9-Tetramethyl-5-decyn-4, 7-diol	Not more than 2.5% of pesticide formulation.	Surfactants, related adjuvants of surfactants
Tetrasodium pyrophosphate		Anticaking agent, conditioning agent Surfactant, suspending agent, dispersing agent, anticaking agent, conditioning agent
1,1,1-Trichloroethane		Solvent, cosolvent
Trichlorofluoromethane Tridecylpoly(oxyethylene) acetate, sodium salt; where the ethylene oxide content averages 6- 7 moles.		Propellant Surfactants, related adjuvants of surfactants
7 moles. Trisodium phosphate		Surfactant, emulsifier, wetting agent
Vermiculite		Solid diluent, carrier.
Walnut shells		Leaching inhibitor, binder for water-dispersible aggregates, sticker and suspension stabilizer
Wheat, including flour, bran, and starch	Expires May 24, 2005	Solid diluent carrier, attractant Do.
Wintergreen oil		Attractant
Wood flour	Derived from wood free of chemical preservatives.	Solid diluent and carrier
Xanthan gum-modified, produced by the reaction of xanthan gum and glyoxal (maximum 0.3% by weight).	Not more than 0.5% of pesticide formulation.	Surfactant
Xylene meeting the specifications listed in 21 CFR 172.884(b)(4).	In pesticide formulations for grain storage only.	Solvent, cosolvent
Zeolite (hydrated alkali aluminum silicate) Zinc oxide		Solid diluent, carrier Coating agent
Zinc sulfate (basic and monohydrate)Zinc sulfate (basic and monohydrate)		Do. Solid diluent, carrier

[69 FR 23117, Apr. 28, 2004, as amended at 69 FR 33578, June 16, 2004; 69 FR 34949, June 23, 2004]

§180.920 Inert ingredients used preharvest; exemptions from the requirement of a tolerance.

The following materials are exempted from the requirement of a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide